

PRODUCTSPECIFICATION

Art. name: NLP plastic full pallet PP

Art. number: 0002

EPD number: 2632560



PRODUCT DESCRIPTION

Dimensions (mm) +/- 3 mm	
Length	1200
Width	800
Height	150



Weight	14,8 kg. +/- 1,5 %
Dynamic weight	3000 kg.
Static weight	5000 kg.
Racking	1000 kg.

Materials pallet	Highdensity-polyetylen (HDPE)
Reinforcements	Two galvanized steelbeams
Recycled material	Recycled raw material of highdensity-polyetylen can be mixed in.
Temperatures	-40 °C to +70 °C
Recyclable	Yes
Lifespan	10 years

RFID	The plastic pallet is equipped with 4 RFID tags, on each corner on the length side. See picture for placement. (SRS-marked plastic pallets are equipped with 2 RFID tags, one on each long side) More information about RFID can be found on our website www.nlpool.no .
-------------	---

Kapittel: 0303	Dok nr: 13	Vers nr: 03	Gyldig fra: 20.01.21	Utarbeidet av: SMSS/FK/FH	Endret av: SMSS	Godkjent av: FK	Side 1 av 4
-------------------	---------------	----------------	-------------------------	------------------------------	--------------------	--------------------	-------------

PRODUCTSPECIFICATION



Placement of reinforcement beams

Kapittel: 0303	Dok nr: 13	Vers nr: 03	Gyldig fra: 20.01.21	Utarbeidet av: SMSS/FK/FH	Endret av: SMSS	Godkjent av: FK	Side 2 av 4
-------------------	---------------	----------------	-------------------------	------------------------------	--------------------	--------------------	-------------

LABELING OF PLASTIC PALLET

Do not staple, attach or glue anything to the plastic pallet that may harm the surfaces or make visible holes. Furthermore, do not use any paint, ink or any other substances that might discolour the pallet or mark the plastic pallet. Labels and other markings can only be applied if they are completely removed before the plastic pallet is sent into the supply chain.

WASHING THE PLASTIC PALLET

The plastic pallets are only to be washed by NLP in the following way:

The plastic pallet is washed in a tunnel washer specifically designed for pallets, where foreign objects and label residue are removed to the best its ability.

Washing temperature: ca. 50° C

Chemicals: Titan XL, added 0,2-1,5%

DELIVERY

The plastic pallet is available in two different conditions, NLP quality and washed. Both of which comes in stacks of 17 pallets per transport unit. For more information please visit:

www.nlpool.no.

SRS-marked plastic pallets (see below) will be a part of NLP's pool system, due to the cooperation of a mutual flow of goods on plastic pallets between Norway and Sweden. Plastic pallets with the SRS-logos shall therefore be treated as NLP's property to the extent of which such plastic pallets are located in Norway.




Kapittel: 0303	Dok nr: 13	Vers nr: 03	Gyldig fra: 20.01.21	Utarbeidet av: SMSS/FK/FH	Endret av: SMSS	Godkjent av: FK	Side 3 av 4
-------------------	---------------	----------------	-------------------------	------------------------------	--------------------	--------------------	-------------

PRODUCTSPECIFICATION

Change on new NLP plastic full pallet:

On the underside of the pallet, on newly produced plastic pallets, there will be a pocket (see picture) with the dimensions 56 mm (width) x 112 mm (length) x 25 mm (height). This pocket has no practical consequences in use, does not change the dimensions or weight of the pallet, and it will not experience anything different with the new pallets.



Kapittel: 0303	Dok nr: 13	Vers nr: 03	Gyldig fra: 20.01.21	Utarbeidet av: SMSS/FK/FH	Endret av: SMSS	Godkjent av: FK	Side 4 av 4
-------------------	---------------	----------------	-------------------------	------------------------------	--------------------	--------------------	-------------